

Annex B: Monitoring Framework 2013-2018

STRATEGIC PLAN OBJECTIVES	OUTCOME INDICATORS	OUTPUT INDICATORS					
		2013	2014	2015	2016	2017	2018
<p>Poliovirus Detection and Interruption: Complete the interruption of wild poliovirus transmission globally and more rapidly detect and interrupt any new outbreaks due to vaccine-derived polioviruses</p> <p>Monitored by the IMB</p>	<p><i>All wild poliovirus transmission stopped by end-2014</i></p> <p><i>All new cVDPV outbreaks stopped within 120 days</i></p>	<p>Achieve and maintain an AFP rate of > 2/100,000 in all states/provinces of high-risk countries</p> <p>Achieve and maintain adequate stool sample collection in 80% of cases in all states/provinces of high-risk countries</p> <p>Establish > 80% LQAS-confirmed coverage in all high-risk areas of Nigeria and Afghanistan; > 90% in high-risk areas of Pakistan</p> <p>Establish full safety and security framework in the 3 endemic countries</p> <p>All current cVDPV outbreaks stopped by end-2013</p>	<p>Establish 10 new environmental sampling sites in countries at risk of cVDPV and WPV outbreaks</p> <p>Maintain > 80% LQAS-confirmed coverage in high-risk areas of Nigeria and Afghanistan; > 90% in high-risk areas of Pakistan</p> <p>Convene IHR review committee; establish recommendations for post-2014</p> <p>Develop full contingency plans to limit international spread and interrupt transmission</p>	<p>Establish 10 additional environmental sampling sites in countries with national OPV facilities</p> <p>If transmission persists, implement full contingency plans to limit international spread and interrupt transmission</p>	<p>Maintain certification-standard surveillance down to the first subnational level in all countries in certified and non-certified regions</p>	<p>Implement type 2 virus response protocol for post-OPV era</p>	<p>Establish type 1 & 3 response protocols for post-OPV era</p>

STRATEGIC PLAN OBJECTIVES	OUTCOME INDICATORS	OUTPUT INDICATORS					
		2013	2014	2015	2016	2017	2018
Immunization Systems Strengthening and OPV Withdrawal: Strengthen immunization services in “focus countries”, introduce IPV and withdraw OPV2 globally Monitored by the SAGE	<i>OPV type 2 withdrawn globally by end-2016</i> <i>At least 10% annual increase in DTP3 coverage achieved in 80% of high-risk districts of all focus countries from 2014 to 2018³⁷</i>	Develop annual national immunization coverage improvement plans in at least 5 of the focus countries Put IPV supply and financing strategy for IPV introduction in place	Dedicate > 50% of polio-funded field personnel’s time to immunization systems strengthening tasks Develop annual national immunization coverage improvement plans in all focus countries Ensure all countries with national producers or self-procuring have access to a licensed bOPV product Achieve 10% year-on-year improvement in DTP3 coverage rates in high-risk districts in at least the 5 focus countries with plans established in 2013 ³⁸	Establish mOPV2 stockpile of bulk and finished product Finalize target date for last OPV2 use Facilitate and support introduction of at least 1 dose of IPV into RI schedules in all OPV-using countries Achieve 10% year-on-year improvement in DTP3 coverage rates in high-risk districts in all focus countries	Finalize Global IPV policy for post-OPV era Achieve 10% year-on-year improvement in DTP3 coverage rates in high-risk districts in all focus countries	Achieve 10% year-on-year improvement in DTP3 coverage rates in high-risk districts in all focus countries	Establish mOPV1 and mOPV3 stockpiles of bulk and finished product

³⁷ In support of the targets outlined in the Global Vaccine Action Plan.

³⁸ e.g. 50% to 55% in year one; 55% to 60.5% in year two, etc.

STRATEGIC PLAN OBJECTIVES	OUTCOME INDICATORS	OUTPUT INDICATORS					
		2013	2014	2015	2016	2017	2018
<p>Containment and Certification:</p> <p>Certify the eradication and containment of all wild polioviruses by end-2018 and enhance long-term global security from poliomyelitis</p> <p>Monitored by the Global Certification Commission</p>	<p><i>Global polio eradication certified by end-2018</i></p>	<p>Align GAPIII with new endgame strategy and timelines</p>	<p>Certify WHO South-East Asia Region as polio-free</p> <p>Complete Phase 1 containment (survey and inventory) (except in polio-endemic countries)</p>	<p>Deliver WHO report to WHA on WPV2 eradication</p> <p>Gain international consensus on containment timing and safeguards</p>	<p>Implement biocontainment safeguards for all WPVs</p>	<p>Implement safe handling of all Sabin type 2 polioviruses</p>	<p>Complete certification process for all 6 WHO regions, leading to global certification of polio eradication</p> <p>Prepare for eventual containment of all Sabin polioviruses at the time of bOPV withdrawal</p>
<p>Legacy Planning:</p> <p>Develop a plan to ensure polio investments contribute to future health goals, through documentation and transition of lessons learnt, processes and assets of the Global Polio Eradication Initiative</p> <p>Monitored by the WHA</p> <p>The objectives and indicators shown here are indicative</p>	<p><i>Polio legacy plan developed by end-2015</i></p>	<p>Initiate global legacy planning process, including stakeholder consultations, asset mapping and capturing of lessons learnt</p>	<p>Complete broad consultation process on polio legacy</p>	<p>Establish polio legacy plan</p>	<p>Initiate implementation of the polio legacy plan</p>		